



Easing Operative User Steering through Website Construction Development

R.Konda Reddy#1, Konduru Balakrishna#2

#1 Department Of Cse, Pbr Visvodaya Institute Of Technology & Science, Kavali.

#2 student Of M.Tech(C.S) And Department Of Cse, Pbr Visvodaya Institute Of Technology & Science, Kavali.

ABSTRACT—Designing well-Construction websites to facilitate Operative user Steering has long been a challenge. A primary reason is that the web developers' understanding of how a website should be Construction can be considerably different from that of the users. While various methods have been proposed to re link web pages to improve navigability using user Steering data, the completely reorganized new Construction can be highly unpredictable, and the cost of disorienting users after the changes remains unanalyzed. This paper addresses how to improve a website without introducing substantial changes. Specifically, we propose a mathematical programming model to improve the user Steering on a website while minimizing alterations to its current Construction. Results from extensive tests conducted on a publicly available real data set indicate that our model not only significantly improves the user Steering with very few changes, but also can be Operatively solved. We have also tested the model on large synthetic data sets to demonstrate that it scales up very well. In addition, we define two evaluation metrics and use them to assess the performance of the improved website using the real data set. Evaluation results confirm that the user Steering on the improved Construction is indeed greatly enhanced. More interestingly, we find that heavily disoriented users are more likely to benefit from the improved Construction than the less disoriented users.

Index Terms—Website design, user Steering, web mining, mathematical programming

1 INTRODUCTION

THE advent of the Internet has provided an unprecedented platform for people to acquire knowledge and explore information. There are 1.73 billion Internet users worldwide as of September 2009, an increase of 18 percent since 2008 [1]. The fast-growing number of Internet users also presents huge

business opportunities to firms. According to Grau [2], the US retail ecommerce sales (excluding travel) totaled \$127.7 billion in 2007 and will reach \$218.4 billion by 2012. In order to satisfy the increasing demands from online customers, firms are heavily investing in the development and maintenance of their websites. InternetRetailer [3] reports that the overall website operations spending increased in 2007, with one-third of site operators hiking spending by at least 11 percent, compared to that in 2006.

Despite the heavy and increasing investments in website design, it is still revealed, however, that finding desired information in a website is not easy [4] and designing Operative websites is not a trivial task [5], [6]. Galletta et al. [7] indicate that online sales lag far behind those of brickandmortar stores and at least part of the gap might be explained by a major difficulty users encounter when browsing online stores. Palmer [8] highlights that poor website design has been a key element in a number of high profile site failures. McKinney et al. [9] also find that users [10], [11]. Such differences result in cases where users cannot easily locate the desired information in a website. This problem is difficult to avoid because when creating a website, web developers may not have a clear understanding of users' preferences and can only organize pages based on their own judgments. However, the measure of website Operativeness should be the satisfaction of the users rather than that of the developers. Thus, Webpages should be organized in a way that generally matches the user's model of how pages should be organized [12].

In this paper, we are concerned primarily with transformation approaches. The literature considering transformations approaches mainly focuses on developing methods to completely reorganize the Second, the reorganized website Construction is highly understanding of how a website should be website, leading to doubts on the applicability of the

reorganization Construction can be considerably different from those of the users approaches. Finally, since website reorganization approaches could dramatically change the current Construction, they cannot be experiments on synthetic data indicate that our model also scales up frequently performed to improve the navigability.

COMPUTATIONAL EXPERIMENTS AND PERFORMANCE EVALUATIONS

Extensive experiments were conducted, both on a data set collected from a real website and on synthetic data sets. We first tested the model with varying parameters values on all data sets. Then, we partitioned the real data into training and testing data. We used the training data to generate Out-Degree Statistics improved site Constructions which were evaluated on the testing data using two metrics that are discussed in detail later. Moreover, we compared the results of our model with that of a heuristic.

Real Data Set

Description of the Real Data Set

The real data set was collected from the Music Machines website (<http://machines.hyperreal.org>) and contained about four million requests that were recorded in a span of four months. This data set is publicly available and has been widely used in the literature [19], [29]. Table 6 shows the number of pages in the website that had out-degrees within a specified range. This website has in total 916 pages, of which 716 have an out-degree of 20 or less, with the majority (83 percent) of the remaining pages having 40 links or less.

Before analysis, we followed the log pre processing steps described in [29] to filter irrelevant information from raw log files. These steps include: 1) filter out requests to pages generated by Common Gateway Interface (CGI) or other server-side scripts as we only consider static pages that are designed as part of a website Construction, 2) ignore unsuccessful requests (returned HTTP status code not 200), and 3) remove requests to image files (.gif, .jpg, etc.), as images are in general automatically downloaded due to the HTML tags rather than explicitly requested by users [33].

We utilized the page-stay time to identify target pages and to demarcate mini sessions from the processed log files. Three time thresholds (i.e., 1, 2, and 5 minutes) were used in the tests to examine how results changes with respect to different parameter values. Furthermore, we adapted the algorithm proposed in [40] to identify the backtracking pages in mini sessions, which are then used to demarcate the

paths traversed to reach the targets. Table 7 lists the number of mini sessions comprising a given number of paths $\delta > 1P$ for different time thresholds.

Results and Analysis —Real Data Set

We set $\frac{1}{4} 1:0E 8$ and vary the out-degree threshold, the path threshold, and the multiplier for the penalty term to examine how results change with respect to these parameters.

Table – 1, result of out degree

| Out-degree | Number of pages |
|------------|-----------------|
| >100 | 1 |
| 81–100 | 2 |
| 61–80 | 10 |
| 41–60 | 21 |
| 21–40 | 166 |
| 11–20 | 538 |
| 0–10 | 178 |
| Total | 916 |

Table 2 reports the experiment results.

| Number of paths | Number of mini sessions | | |
|-----------------|-------------------------|----------|----------|
| | t=1 min. | t=2 min. | t=5 min. |
| 2 | 27,140 | 23,485 | 20,964 |
| 3 | 4,457 | 4,242 | 4,075 |
| 4 | 1,340 | 1,469 | 1,427 |
| 5 | 477 | 590 | 652 |
| 6–10 | 395 | 498 | 525 |
| >10 | 3 | 8 | 7 |
| Total | 33,812 | 30,292 | 27,650 |

The math programs were coded in AMPL and solved using CPLEX/ AMPL 8.1 on a PC running Windows XP on an Intel Core 2 Duo E6300 processor. The times for generating optimal Path Characteristics of Mini have reported the times taken to solve the math programs only; the times taken for preprocessing steps and obtaining values of a S_{ijkr} are not included, as they can be done very quickly in practice. Note that the size of the real website considered in our paper is significantly larger than the average website size [52] as well as those used in related papers addressing the website reorganization problem. For example, Gupta et al. [19] and Lin and Tseng [28] report results based on websites with only 427 and 146 pages, respectively.

CONCLUSIONS

In this paper, we have proposed a mathematical programming model to improve the Steering Operativeness of a website while minimizing changes to its current

Construction, a critical issue that has not been examined in the literature. Our model is particularly appropriate for informational websites whose contents are relatively stable over time. It improves a website rather than reorganizes it and hence is suitable for website maintenance on a progressive basis. The tests on a real website showed that our model could provide significant Developments to user Steering by adding only few new links. Optimal solutions were quickly obtained, suggesting that the model is very Operative to realworld websites. In addition, we have tested the MP model with a number of synthetic data sets that are much larger than the largest data set considered in related studies as well as the real data set. The MP model was observed to scale up very well, optimally solving largesized problems in a few seconds in most cases on a desktop PC.

REFERENCES

- [1] Pingdom, "Internet 2009 in Numbers," <http://royal.pingdom.com/2010/01/22/internet-2009-in-numbers/>, 2010.
- [2] D. Dhyani, W.K. Ng, and S.S. Bhowmick, "A Survey of Web Metrics," ACM Computing Surveys, vol. 34, no. 4, pp. 469-503, 2002.
- [3] X. Fang and C. Holsapple, "An Empirical Study of Web Site Steering Constructions' Impacts on Web Site Usability," Decision Support Systems, vol. 43, no. 2, pp. 476-491, 2007.
- [4] J. Lazar, Web Usability: A UserCentered Design Approach. AddisonWesley, 2006.
- [5] D.F. Galletta, R. Henry, S. McCoy, and P. Polak, "When the Wait Isn't So Bad: The Interacting Effects of Website Delay, Familiarity, and Breadth," Information Systems Research, vol. 17, no. 1, pp. 2037, 2006.
- [6] J. Palmer, "Web Site Usability, Design, and Performance Metrics," Information Systems Research, vol. 13, no. 2, pp. 151-167, 2002.
- [7] V. McKinney, K. Yoon, and F. Zahedi,

"The Measurement of WebCustomer Satisfaction: An Expectation and Disconfirmation Approach," Information Systems Research, vol. 13, no. 3, pp. 296-315, 2002.

- [8] T. Nakayama, H. Kato, and Y. Yamane, "Discovering the Gap between Web Site Designers' Expectations and Users' Behavior," Computer Networks, vol. 33, pp. 811-822, 2000.



R.KONDA REDDY,
ASSOC.PROFESSOR,
DEPARTMENT OF CSE,
PBR VISVODAYA
INSTITUTE OF
TECHNOLOGY &
SCIENCE, KAVALI.



KONDURU
BALAKRISHNA
M.Tech(CS) STUDENT,
DEPARTMENT OF CSE
PBR VISVODAYA
INSTITUTE
OF TECHNOLOGY &
SCIENCE,
KAVALI.